

IOWATER Field Equipment Checklist

IOWATER Monitor Name (*primary contact*):

Monitor contact info (*address, cell phone, home phone, etc.*):

Squaw Creek Snapshot Date:

<i>Test or Purpose</i>	<i>Equipment</i>	<u><i>Status check</i></u> <i>Condition</i>	<i>(Yes or No)</i>	<i>Expiration</i> <i>Date</i>	<i>Need to replace/ locate/ repair?</i> <i>(Yes or No)</i>	<i>Need to order from DNR now?</i> <i>(Yes or No)</i>	<i>Comments?</i>
Safety & Liability	IOWATER form	release/waiver signed?		XXXXXXX			
Eye protection	Safety glasses	uncracked & wearable?		XXXXXXX			
Disposal receptacle	Plastic bottle & cap	available?		XXXXXXX			
Timing tests	Battery	corrosion absent?					
	Timer	functioning O.K.?		XXXXXXX			
Recording data	Sharpie	dark & clear?		XXXXXXX			
	Pencil	sharpened?		XXXXXXX			
	Field form	available for each site?		XXXXXXX			
Water Temperature	Thermometer	functioning O.K.?		XXXXXXX			
	String	well attached & long?		XXXXXXX			
pH	pH test strips	quantity & color O.K.?					
	pH bottle	chart legible?		XXXXXXX			
Dissolved Oxygen	color std 1-12	appearance O.K.?					
	sample cup	not cracked?		XXXXXXX			
	ampoules	quantity O.K.?		XXXXXXX			
Nitrate/Nitrite	N test strips	quantity & color O.K.?					
	N bottle	charts legible?		XXXXXXX			
Phosphate	color std 1-10	appearance O.K.?					
	color std 0-1	appearance O.K.?					
	activator solution	appearance O.K.?					
	sample cup	not cracked?		XXXXXXX			
	sample cup cap	available?		XXXXXXX			
Chloride	ampoules	quantity O.K.?		XXXXXXX			
	Quantab test strips	quantity & color O.K.?					
	Cl bottle	charts legible?		XXXXXXX			
Transparency	Tube & cap	functioning O.K.?		XXXXXXX			
	Clamp & hose	functioning O.K.?		XXXXXXX			
Bacteria	bottle/tube & ziplock	available for each site?		XXXXXXX			
Cooling samples	Ice & ice chest	available?		XXXXXXX			
Collection off bridge sampling device		available?		XXXXXXX			